

 nofire

Buio 9161





Z 772 SABBIA




Z 773 ECRÙ



Z 774 BEIGE



Z 775 CORDA



Z 776 COCCO



Z 777 FUOCO




Z 778 OCRA




Z 779 FORESTA



Z 781 GHIAIA



Z 782 GRIGIO



Z 783 PERLA



Z 784 CIELO



Z 785 BLU

PER COLORI SPECIALI QUANTITATIVO MINIMO Mt. 300
FOR SPECIAL COLOURS MINIMUM QUANTITY Mts. 300

NO FIRE BUIO 9161

COMPOSIZIONE <i>Composition</i>	100% Polyester FR		
ALTEZZA Cm. <i>Width Cm.</i>	approx. 300 cm		
PESO (Gr/ml) <i>Weight (Gr/ml)</i>	approx. 785 gr/ml		
RAPPORTO <i>Repeat</i>	ORDITO Warp	-	
	TRAMA Weft	-	
NR. FILI/CM <i>No. of threads/cm</i>	ORDITO Warp	-	
	TRAMA Weft	-	
TIPOLOGIA FILATO <i>Type Yarn</i>	ORDITO Warp	Continuos	
	TRAMA Weft	Continuos	
PAESE DI ORIGINE <i>Country of Origin</i>	ITALY		
TARIFFA DOGANALE <i>HS Code</i>	54076130		
NUMERO COLORI <i>No. of colorways</i>	14 col.stock service		
LUNGHEZZA MD.PZ <i>Medium length pcs</i>	approx. 35 / 50 mt		

OMOLOGAZIONI <i>Certification</i>	ITALIA CLASSE 1 UNI 9174 (1987)	FRANCE M1 NF P 92-503 (1995)	GERMANY B1 DIN 4102	BRITISH BS Type B	AMERICAN NFPA 701	EUROPEAN CLASS 1 UNI EN 13773: 2003 *	IMO Dir. 2014/90/UE 0497/19
--------------------------------------	--	---	----------------------------------	----------------------	----------------------	--	--

MANUTENZIONE <i>Care symbols</i>	LAVAGGIO <i>Wash</i>						
	STIRO <i>Iron</i>						
	LAVAGGIO SECCO <i>Dry Cleaning</i>						

ALTRI SIMBOLI <i>Other symbols</i>									
---------------------------------------	--	--	--	--	--	--	--	--	--

UTILIZZO <i>Application areas</i>				
--------------------------------------	--	--	--	--

Tendaggi Paradiso srl
Via Risorgimento, 613
22070 Cassina Rizzardi (Co) - Italy
T. +39 031 881 267
F. +39 031 921 211
P.IVA e C.F. 00694080136
orders@tendaggi-paradiso.com
roberta@tendaggi-paradiso.com
www.tendaggi-paradiso.com



MARTINDALE Abrasion test UNI EN ISO 12947-2:2017 UNI 14465:2008	-		
--	---	--	--

VARIAZIONE DIM. AL LAVAGGIO 30°C Relaxing Washing 30°C UNI EN ISO 6330:12 UNI EN ISO 5077:2008 UNI EN ISO 3759:11	ORDITO Warp	approx. ± 1%
	TRAMA Weft	approx. ± 1%

TEST CUCITURA Sewing Test UNI EN ISO 13936-2:2004 UNI EN 14465:2008	TRAMA /ORDITO Weft/Warp	-
	ORDITO / TRAMA Warp/Weft	-

PILLING EN ISO 12945-2:2002 2004 + UNI 14465:2008	UNI EC 1	1	2	3	4	5

SOLIDITA' ALLA LUCE Light Fastness	1	2	3	4	5	6	7	8

COEFFICIENTE ASSORBIMENTO ACUSTICO Sound Absorption coefficient DIN EN ISO 354 / DIN EN ISO 11654	QUESTO TESSUTO PRESENTA CARATTERISTICHE DI ASSORBIMENTO ACUSTICO This fabric has Sound Absorption quality
---	--

REACH:	We hereby confirm conformity and information obligation according to REACH
--------	--

IMBALLAGGIO Packing	FWT	DFB	DFT
	Full width on carton tubes	Double folded on plastic board	Double folded on carton tubes