


 nofire

Bottonato





**Z 002** NATURALE



**Z 003** BIANCO

PER I COLORI SPECIALI QUANTITATIVO MINIMO Mt. 1000  
*FOR SPECIAL COLOURS MINIMUM QUANTITY Mts. 1000*

**NO FIRE BOTTONATO**

Tendaggi Paradiso srl  
 Via Risorgimento, 613  
 22070 Cassina Rizzardi (Co) - Italy  
 T. +39 031 881 267  
 F. +39 031 921 211  
 P.IVA e C.F. 00694080136  
 orders@tendaggi-paradiso.com  
 roberta@tendaggi-paradiso.com  
 www.tendaggi-paradiso.com



COMPOSIZIONE <i>Composition</i>	100% Polyester FR	
ALTEZZA Cm. <i>Width Cm.</i>	approx. 300 cm Lead Band	
PESO ( Gr/ml) <i>Weight (Gr/ml)</i>	approx. 228 gr/ml	
RAPPORTO <i>Repeat</i>	ORDITO Warp	-
	TRAMA Weft	-
NR. FILI/CM <i>No. of threads/cm</i>	ORDITO Warp	28
	TRAMA Weft	19
TIPOLOGIA FILATO <i>Type Yarn</i>	ORDITO Warp	Continuous
	TRAMA Weft	Spun
PAESE DI ORIGINE <i>Country of Origin</i>	ITALY	
TARIFFA DOGANALE <i>HS Code</i>	54076130	
NUMERO COLORI <i>No. of colorways</i>	3 col.stock service	
LUNGHEZZA MD.PZ <i>Medium length pcs</i>	approx. 35 / 45 mt	

MARTINDALE Abrasion test UNI EN ISO 12947-2:2017 UNI 14465:2008	-	
--	---	--

VARIAZIONE DIM. AL LAVAGGIO 30°C <i>Relaxing Washing 30°C</i> UNI EN ISO 6336:12 UNI EN ISO 5077:2008 UNI EN ISO 3759:11	ORDITO Warp	approx. ± 1%
	TRAMA Weft	approx. ± 1%

TEST CUCITURA <i>Sewing Test</i> UNI EN ISO 13936-2:2004 UNI EN 14465:2008	TRAMA /ORDITO <i>Weft/Warp</i>	-
	ORDITO / TRAMA <i>Warp/Weft</i>	-

PILLING EN ISO 12945-2:2002 2004 + UNI 14465:2008	UNI EC 1-	1	2	3	4	5

SOLIDITA' ALLA LUCE <i>Light Fastness</i>	1	2	3	4	5	6	7	8

COEFFICIENTE ASSORBIMENTO ACUSTICO <i>Sound Absorption coefficient</i> DIN EN ISO 354 / DIN EN ISO 11654	QUESTO TESSUTO PRESENTA CARATTERISTICHE DI ASSORBIMENTO ACUSTICO <i>This fabric has Sound Absorption quality</i>
--	---

REACH:	We hereby confirm conformity and information obligation according to REACH
--------	--

IMBALLAGGIO <i>Packing</i>	FWT	DFB	DFT
	Full width on carton tubes	Double folded on plastic board	Double folded on carton tubes

OMOLOGAZIONI <i>Certification</i>	ITALIA CLASSE 1 UNI 9174 (1987)	FRANCE M1 NF P 92-503 (1995)	GERMANY B1 DIN 4102	BRITISH BS Type B	AMERICAN NFPA 701	EUROPEAN CLASS 1	IMO Dir. 2014/90/UE 0497/19
--------------------------------------	---------------------------------------	------------------------------------	---------------------------	----------------------	----------------------	---------------------	-----------------------------------

MANUTENZIONE <i>Care symbols</i>	LAVAGGIO <i>Wash</i>						
	STIRO <i>Iron</i>						
	LAVAGGIO SECCO <i>Dry Cleaning</i>						

ALTRI SIMBOLI <i>Other symbols</i>												
---------------------------------------	--	--	--	--	--	--	--	--	--	--	--	--

UTILIZZO <i>Application areas</i>				
--------------------------------------	--	--	--	--