


 nofire

Ciniglia 9138






**Z 638 BIANCO**



**Z 639 AVORIO**



**Z 640 CORDA**




**Z 641 SABBIA**




**Z 642 TAUPE**



**Z 643 OLMO**



**Z 644 OLIVA**



**Z 645 MUSCHIO**



**Z 646 CARMELLO**



**Z 647 GINGER**



**Z 648 COTTO**



**Z 649 ROSSO**




**Z 650 BORDEAUX**



**Z 651 BLU**



**Z 652 AVIO**



**Z 653 PAVONE**



**Z 654 PERLA**



**Z 655 FUMO**



**Z 656 NERO**



**Z 657 MOKA**

PER I COLORI SPECIALI QUANTITATIVO MINIMO Mt. 400  
FOR SPECIAL COLOURS MINIMUM QUANTITY Mts. 400



**NO FIRE 9138 CINIGLIA**

COMPOSIZIONE <i>Composition</i>	100% Polyester FR	
ALTEZZA Cm. <i>Width Cm.</i>	approx. 300 cm	
PESO ( Gr/ml) <i>Weight (Gr/ml)</i>	approx. 992 gr/ml	
RAPPORTO	ORDITO Warp	-
<i>Repeat</i>	TRAMA Weft	-
NR. FILI/CM <i>No. of threads/cm</i>	ORDITO Warp	80
	TRAMA Weft	16
TIPOLOGIA FILATO	ORDITO Warp	Continuos
<i>Type Yarn</i>	TRAMA Weft	Spun
PAESE DI ORIGINE <i>Country of Origin</i>	ITALY	
TARIFFA DOGANALE <i>HS Code</i>	54076130	
NUMERO COLORI <i>No. of colorways</i>	20 col.stock service	
LUNGHEZZA MD.PZ <i>Medium length pcs</i>	approx. 35 mt	

OMOLOGAZIONI <i>Certification</i>	ITALIA CLASSE 1  UNI 9174 (1987)	FRANCE M1  NF P 92-503 (1995)	GERMANY B1  DIN 4102	BRITISH BS Type B	AMERICAN NFPA 701	EUROPEAN CLASS 1	IMO Dir. 2014/90/UE  0497/19
--------------------------------------	---	--	-------------------------------	----------------------	----------------------	---------------------	---------------------------------------

MANUTENZIONE <i>Care symbols</i>	LAVAGGIO <i>Wash</i>						
	STIRO <i>Iron</i>						
	LAVAGGIO SECCO <i>Dry Cleaning</i>						

ALTRI SIMBOLI <i>Other symbols</i>													
---------------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--

UTILIZZO <i>Application areas</i>				
--------------------------------------	--	--	--	--

Tendaggi Paradiso srl  
Via Risorgimento, 613  
22070 Cassina Rizzardi (Co) - Italy  
T. +39 031 881 267  
F. +39 031 921 211  
P.IVA e C.F. 00694080136  
orders@tendaggi-paradiso.com  
roberta@tendaggi-paradiso.com  
www.tendaggi-paradiso.com



MARTINDALE Abrasion test UNI EN ISO 12947-2:2017 UNI 14465:2008	> 35.000 rubs
--	---------------

VARIAZIONE DIM. AL LAVAGGIO 30°C <i>Relaxing Washing 30°C</i> UNI EN ISO 6330:12 UNI EN ISO 5077:2008 UNI EN ISO 3759:11	ORDITO Warp	approx. ± 1%
	TRAMA Weft	approx. ± 1%

TEST CUCITURA <i>Sewing Test</i> UNI EN ISO 13936-2:2004 UNI EN 14465:2008	TRAMA /ORDITO Weft/Warp	-
	ORDITO / TRAMA Warp/Weft	-

PILLING EN ISO 12945-2:2002 2004 + UNI 14465:2008	UNI EC 1-	1	2	3	4	5
---	-----------	---	---	---	---	---

SOLIDITA' ALLA LUCE <i>Light Fastness</i>	1	2	3	4	5	6	7	8
--	---	---	---	---	---	---	---	---

COEFFICIENTE ASSORBIMENTO ACUSTICO <i>Sound Absorption coefficient</i> DIN EN ISO 354 / DIN EN ISO 11654	QUESTO TESSUTO PRESENTA CARATTERISTICHE DI ASSORBIMENTO ACUSTICO <i>This fabric has Sound Absorption quality</i>
--	---

REACH:	We hereby confirm conformity and information obligation according to REACH
--------	--

IMBALLAGGIO <i>Packing</i>	FWT	DFB	DFT
	Full width on carton tubes	Double folded on plastic board	Double folded on carton tubes