


 nofire

Girella 9040





Z 252 GRIGIO




Z 256 TORTORA



Z 253 NATURALE



Z 257 MOKA



Z 255 TAUPE

NO FIRE 9040 GIRELLA

COMPOSIZIONE <i>Composition</i>	100% Polyester FR	
ALTEZZA Cm. <i>Width Cm.</i>	approx. 285 / 290 cm Lead Band	
PESO (Gr/ml) <i>Weight (Gr/ml)</i>	approx. 360 gr/ml	
RAPPORTO <i>Repeat</i>	ORDITO Warp	-
	TRAMA Weft	-
NR. FILI/CM <i>No. of threads/cm</i>	ORDITO Warp	48
	TRAMA Weft	31
TIPOLOGIA FILATO <i>Type Yarn</i>	ORDITO Warp	Continuos
	TRAMA Weft	Continuos
PAESE DI ORIGINE <i>Country of Origin</i>	ITALY	
TARIFFA DOGANALE <i>HS Code</i>	60063200	
NUMERO COLORI <i>No. of colorways</i>	6 col.stock service	
LUNGHEZZA MD.PZ <i>Medium length pcs</i>	approx. 35 mt	

OMOLOGAZIONI <i>Certification</i>	ITALIA CLASSE 1 UNI 9174 (1987)	FRANCE M1 NF P 92-503 (1995)	GERMANY B1 DIN 4102	BRITISH BS Type B	AMERICAN NFPA 701	EUROPEAN CLASS 1	IMO Dir. 2014/90/UE 0497/19
--------------------------------------	---	--	-------------------------------	----------------------	----------------------	---------------------	---------------------------------------

MANUTENZIONE <i>Care symbols</i>	LAVAGGIO <i>Wash</i>						
	STIRO <i>Iron</i>						
	LAVAGGIO SECCO <i>Dry Cleaning</i>						

ALTRI SIMBOLI <i>Other symbols</i>										
---------------------------------------	--	--	--	--	--	--	--	--	--	--

UTILIZZO <i>Application areas</i>				
--------------------------------------	--	--	--	--

Tendaggi Paradiso srl
Via Risorgimento, 613
22070 Cassina Rizzardi (Co) - Italy
T. +39 031 881 267
F. +39 031 921 211
P.IVA e C.F. 00694080136
orders@tendaggi-paradiso.com
roberta@tendaggi-paradiso.com
www.tendaggi-paradiso.com



MARTINDALE Abrasion test UNI EN ISO 12947-2:2017 UNI 14465:2008								
VARIAZIONE DIM. AL LAVAGGIO 30°C <i>Relaxing Washing 30°C</i> UNI EN ISO 6330:12 UNI EN ISO 5077:2008 UNI EN ISO 3759:11	ORDITO Warp	approx. ± 2%						
	TRAMA Weft	approx. ± 2%						
TEST CUCITURA <i>Sewing Test</i> UNI EN ISO 13936-2:2004 UNI EN 14465:2008	TRAMA /ORDITO <i>Weft/Warp</i>	-						
	ORDITO / TRAMA <i>Warp/Weft</i>	-						
PILLING EN ISO 12945-2:2002 2004 + UNI 14465:2008	UNI EC 1-	1	2	3	4	5		
SOLIDITA' ALLA LUCE <i>Light Fastness</i>	1	2	3	4	5	6	7	8
COEFFICIENTE ASSORBIMENTO ACUSTICO <i>Sound Absorption coefficient</i> DIN EN ISO 354 / DIN EN ISO 11654	-							
REACH:	We hereby confirm conformity and information obligation according to REACH							

IMBALLAGGIO <i>Packing</i>	FWT	DFB	DFT
	Full width on carton tubes	Double folded on plastic board	Double folded on carton tubes